

PRODUCT SPECIFICATION

| PRODUCT INFO | | | | | | | |
|------------------------------------|---|----------------------|-------------------------------|-----------|--|--|--|
| Product Name | BOOST SB | | Product ID | ETS-22313 | | | |
| Product Application | Anti-icing, deicing, pre-wetting. Clear Roads QPL Category A2 approved product. | | | | | | |
| CHEMICAL PROPERTIES | | | | | | | |
| Chemical Constituent | | Typical Analysis (%) | ypical Analysis (%) Range (%) | | | | |
| Calcium Chloride | | 1.9 | 1.5-3. | 5 | | | |
| Sodium Chloride | | 0.1 | ≤ 0.5 | | | | |
| Potassium Chloride | | 0.1 | ≤ 0.5 | | | | |
| Proprietary Ice Softening Additive | | Proprietary | Propr | ietary | | | |

Typical Analysis

| GENERAL SPECIFICATIONS | | | | | |
|------------------------|----------------------|-------------|----------------------|--|--|
| Constituent | Detected Level (ppm) | Constituent | Detected Level (ppm) | | |
| Arsenic | ≤ 5.00 | Barium | ≤ 100.00 | | |
| Cadmium | ≤ 0.20 | Chromium | ≤ 1.00 | | |
| Copper | ≤ 1.00 | Lead | ≤ 1.00 | | |
| Mercury | ≤ 0.05 | Selenium | ≤ 5.00 | | |
| Zinc | ≤ 10.00 | Phosphorus | ≤ 2500.00 | | |
| Cyanide | ≤ 0.20 | Molybdenum | ≤ 15.00 | | |

| PRODUCT TESTING | |
|--|---------------------|
| TEST DESCRIPTION | TEST RESULTS |
| Form, Color, Odor | Liquid, Brown, Mild |
| Specific Gravity (g/mls @ 20 °C) | 1.213-1.233 |
| Density (lbs/gal @ 20 °C) | 10.122-10.289 |
| pH (Clear Roads Test Method 4 @ 20 °C) | 6.0-10.0 |
| Corrosion Rate (NACE Standard TM0169-95, PNS Modified) | ≤ 25.0 |

Phone: 1-800-369-3878 Email: Info@EnviroTechServices.com Website: EnviroTechServices.com