

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g)

Printing date 11/14/2025

Reviewed on 11/14/2025

### 1 Identification

- **Product identifier**
- **Trade name:** DustReady 433
- **Product Code:** ETS-160
- **Application of the substance / the mixture** Water extending dust control additive.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Envirotech Services, LLC  
910 54th Avenue Suite 230  
Greeley, CO 80634  
(970) 346-3900
- **Information department:** Product safety department
- **Emergency telephone number:** CHEMTREC: (800) 424-9300

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



Skin Irritation 2 H315 Causes skin irritation.  
Eye Irritation 2A H319 Causes serious eye irritation.  
Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



- **Signal word** Warning

- **Hazard-determining components of labeling:**

Proprietary Coalescent

- **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

- **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

(Contd. on page 2)

us

# Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g)

Printing date 11/14/2025

Reviewed on 11/14/2025

## Trade name: DustReady 433

(Contd. of page 1)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P321 Specific treatment (see on this label).  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P363 Wash contaminated clothing before reuse.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:

- NFPA ratings (scale 0 - 4)



Health = 2  
 Fire = 0  
 Reactivity = 0

- HMIS-ratings (scale 0 - 4)



Health = 2  
 Fire = 0  
 Reactivity = 0

- Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

## 3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

- Components:

Proprietary Organic Dust Palliative	Proprietary%
Proprietary Water Extending Additive	Proprietary%
Proprietary Water Extending Additive	Proprietary%
Proprietary Water Extending Additive	Proprietary%
Proprietary Coalescent	Proprietary%
Proprietary Water Extending Additive	Proprietary%
Proprietary Water Extending Additive	Proprietary%
Proprietary Organic Freeze Point Depressant	Proprietary%

- Non-hazardous components

CAS: 7732-18-5 Water	Proprietary%
----------------------	--------------

- Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

US

(Contd. on page 3)

# Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g)

Printing date 11/14/2025

Reviewed on 11/14/2025

**Trade name: DustReady 433**

(Contd. of page 2)

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Generally this product does not irritate with inhalation.  
If respiratory irritation occurs, consult a doctor.
- **After skin contact:**  
If skin irritation occurs, consult a doctor.  
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for at least 15 minutes under running water.  
Remove contact lenses, if present, and easy to do so.  
Seek immediate medical advice.
- **After swallowing:**  
Rinse mouth out and then drink plenty of water.  
Do not induce vomiting without medical advice.  
If vomiting does occur, repeat fluid administration.  
If irritation or discomfort occurs, consult a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Product is not flammable.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Not applicable.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Avoid contact with eyes, skin, and clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.

(Contd. on page 4)

US

# Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g)

Printing date 11/14/2025

Reviewed on 11/14/2025

## Trade name: DustReady 433

(Contd. of page 3)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### • Protective Action Criteria for Chemicals

#### • PAC-1:

Proprietary Organic Dust Palliative	45 mg/m <sup>3</sup>
Proprietary Water Extending Additive	2.1 mg/m <sup>3</sup>
Proprietary Water Extending Additive	30 mg/m <sup>3</sup>
Proprietary Coalescent	15 ppm
Proprietary Water Extending Additive	30 mg/m <sup>3</sup>

#### • PAC-2:

Proprietary Organic Dust Palliative	180 mg/m <sup>3</sup>
Proprietary Water Extending Additive	23 mg/m <sup>3</sup>
Proprietary Water Extending Additive	330 mg/m <sup>3</sup>
Proprietary Coalescent	67 ppm
Proprietary Water Extending Additive	1,300 mg/m <sup>3</sup>

#### • PAC-3:

Proprietary Organic Dust Palliative	1,100 mg/m <sup>3</sup>
Proprietary Water Extending Additive	87 mg/m <sup>3</sup>
Proprietary Water Extending Additive	2,000 mg/m <sup>3</sup>
Proprietary Coalescent	170 ppm
Proprietary Water Extending Additive	7,700 mg/m <sup>3</sup>

## 7 Handling and storage

### • Handling:

#### • Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

• Information about protection against explosions and fires: No special measures required.

### • Conditions for safe storage, including any incompatibilities

Store away from strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### • Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

### • Control parameters

#### • Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

(Contd. on page 5)

US

# Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g)

Printing date 11/14/2025

Reviewed on 11/14/2025

<b>Trade name: DustReady 433</b>
----------------------------------

<p>At this time, the other constituents have no known exposure limits.</p>	(Contd. of page 4)
--	--------------------

<b>Proprietary Organic Dust Palliative</b>	
PEL	Long-term value: 15* 5** mg/m <sup>3</sup> mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.
<b>Proprietary Water Extending Additive</b>	
WEEL	Long-term value: 10 mg/m <sup>3</sup> (H); MW>200
<b>Proprietary Coalescent</b>	
WEEL	Long-term value: 30 ppm
<b>Proprietary Organic Freeze Point Depressant</b>	
WEEL	Long-term value: 10 mg/m <sup>3</sup>

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Avoid contact with eyes, skin, and clothing.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses

(Contd. on page 6)
--------------------

us

# Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g)

Printing date 11/14/2025

Reviewed on 11/14/2025

**Trade name: DustReady 433**

**· Body protection:**



Protective work clothing

(Contd. of page 5)

## \* 9 Physical and chemical properties

**· Information on basic physical and chemical properties**

**· General Information**

**· Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Amber colored
<b>Odor:</b>	Terpene
<b>Odor threshold:</b>	Not determined.

<b>pH-value at 20 °C (68 °F):</b>	7.5–9.5
-----------------------------------	---------

**· Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	>100 °C (>212 °F)

<b>Flash point:</b>	>93.3 °C (>199.9 °F)
---------------------	----------------------

<b>Flammability:</b>	Not applicable.
----------------------	-----------------

<b>Decomposition temperature:</b>	Not determined.
-----------------------------------	-----------------

<b>Ignition temperature:</b>	Product is not selfigniting.
------------------------------	------------------------------

<b>Danger of explosion:</b>	Product does not present an explosion hazard.
-----------------------------	---

**· Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

<b>Vapor pressure at 20 °C (68 °F):</b>	<23.4 hPa (<17.6 mm Hg)
---	-------------------------

<b>Density at 20 °C (68 °F):</b>	1.025-1.045 g/cm³ (8.55363-8.72053 lbs/gal)
----------------------------------	---

<b>Relative density</b>	Not determined.
-------------------------	-----------------

<b>Vapor density</b>	Not determined.
----------------------	-----------------

<b>Evaporation rate</b>	Not determined.
-------------------------	-----------------

<b>Solubility in / Miscibility with Water:</b>	Fully miscible.
--	-----------------

<b>Partition coefficient (n-octanol/water):</b>	Not determined.
---	-----------------

<b>Viscosity:</b>	Not determined.
<b>Dynamic:</b>	Not determined.

<b>Kinematic:</b>	Not determined.
-------------------	-----------------

<b>Other information</b>	No further relevant information available.
--------------------------	--

US

(Contd. on page 7)

# Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g)

Printing date 11/14/2025

Reviewed on 11/14/2025

**Trade name: DustReady 433**

(Contd. of page 6)

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Extreme temperatures.
- **Incompatible materials:** Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### Proprietary Organic Dust Palliative

Oral	LD50	12,600 mg/kg (rat)
------	------	--------------------

### Proprietary Organic Freeze Point Depressant

Oral	LD50	2,000 mg/kg (rat)
------	------	-------------------

Dermal	LD50	20,800 mg/kg (rabbit)
--------	------	-----------------------

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Causes serious eye irritaiton.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

Proprietary Coalescent	3
------------------------	---

- **NTP (National Toxicology Program)**

None of the ingredients are listed.
-------------------------------------

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.
-------------------------------------

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.

(Contd. on page 8)

US

# Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g)

Printing date 11/14/2025

Reviewed on 11/14/2025

**Trade name: DustReady 433**

(Contd. of page 7)

- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
  - Toxic to aquatic life.
  - Harmful to aquatic life with long lasting effects.
  - Water hazard class 2 (Self-assessment): hazardous for water
  - Do not allow product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
  - Observe all federal, state, and local environmental regulations when disposing of this material.
  - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· <b>UN-Number</b>	
· <b>DOT, ADR, IMDG, IATA</b>	Non-Regulated Material
· <b>UN proper shipping name</b>	
· <b>DOT, ADR, IMDG, IATA</b>	Non-Regulated Material
· <b>Transport hazard class(es)</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Non-Regulated Material
· <b>Packing group</b>	
· <b>DOT, ADR, IMDG, IATA</b>	Non-Regulated Material
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>UN "Model Regulation":</b>	Non-Regulated Material

US  
(Contd. on page 9)

# Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g)

Printing date 11/14/2025

Reviewed on 11/14/2025

**Trade name: DustReady 433**

(Contd. of page 8)

## 15 Regulatory information

**· Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

**· Sara**

**· Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**· Section 313 (Specific toxic chemical listings):**

Proprietary Water Extending Additive

**· TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

**· Hazardous Air Pollutants**

None of the ingredients are listed.

**· Proposition 65**

**· Chemicals known to cause cancer:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**· Carcinogenic categories**

**· EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**· TLV (Threshold Limit Value)**

None of the ingredients are listed.

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms**



**· Signal word** Warning

**· Hazard-determining components of labeling:**

Proprietary Coalescent

**· Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 10)

US

# Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g)

Printing date 11/14/2025

Reviewed on 11/14/2025

**Trade name: DustReady 433**

(Contd. of page 9)

**Precautionary statements**

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash thoroughly after handling.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves / eye protection / face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P363 Wash contaminated clothing before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that Envirotech Services, LLC believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of Envirotech Services, LLC's control, Envirotech Services, LLC makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.

- Department issuing SDS:** Lab

- Contact:** -

- Date of preparation / last revision** 11/14/2025 / -

- Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation – Category 1

- \* Data compared to the previous version altered.**